


**600x
1200mm**



®

PASSION




WALL & VITRIFIED



GVT / PGVT



42000



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42001



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42002



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42003



GLOSSY FINISH



High Strength



Eco Friendly



Random Design



Low Maintenance



GVT / PGVT



42004



GLOSSY FINISH







GVT / PGVT



42005



GLOSSY FINISH



High
Strength




Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42006



600x
1200mm

GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design






Low
Maintenance



GVT / PGVT



42007



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42008



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design






Low
Maintenance



GVT / PGVT



42009



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42010



600x
1200mm

GLOSSY FINISH






GVT / PGVT



42011



GLOSSY FINISH







GVT / PGVT



42012



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design






Low
Maintenance



GVT / PGVT



42013



GLOSSY FINISH



High Strength



Eco Friendly



Random Design




Low Maintenance



GVT / PGVT



42014



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42015



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42016



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42017



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42018



600x
1200mm

GLOSSY FINISH






GVT / PGVT



42019



GLOSSY FINISH






GVT / PGVT



42020



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42021



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42022



600x
1200mm

GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42023



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42024



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42025



600x
1200mm

GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42026



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42027



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42028



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42029



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42030



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42031



600x
1200mm

GLOSSY FINISH






GVT / PGVT



42032



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42033



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42034



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42035



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42036



GLOSSY FINISH






GVT / PGVT



42037



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42038



600x
1200mm

GLOSSY FINISH





GVT / PGVT



42039



600x
1200mm

GLOSSY FINISH





GVT / PGVT



42040



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42041



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42042



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42043



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42044



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design







Low
Maintenance



GVT / PGVT



42045



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42046



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42047



600x
1200mm

GLOSSY FINISH








GVT / PGVT



42048



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design







Low
Maintenance



GVT / PGVT



42049



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42050



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42051



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42052



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design







Low
Maintenance



GVT / PGVT



42053



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design







Low
Maintenance



GVT / PGVT



42054



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design






Low
Maintenance



GVT / PGVT



42055



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design






Low
Maintenance



GVT / PGVT



42056



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42057



600x
1200mm

GLOSSY FINISH








GVT / PGVT



42058



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42059



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42060



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42061



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42062



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42063



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance



GVT / PGVT



42064



600x
1200mm

GLOSSY FINISH


- High Strength
- Eco Friendly
- Random Design
- Low Maintenance



GVT / PGVT



42065



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42066



600x
1200mm

GLOSSY FINISH









GVT / PGVT



42067



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design




Low
Maintenance



GVT / PGVT



42068



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design





Low
Maintenance



GVT / PGVT



42069



GLOSSY FINISH



High
Strength



Eco
Friendly



Random
Design



Low
Maintenance

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BLA	MEAN VALUE OF PASSION	TEST METHOD
REGULATORY PROPERTIES			
Deviation in Length & Width	±0.5%	±0.1%	ISO-10545-2
Deviation in Thickness	±5.0%	±4.0%	ISO-10545-2
Straightness in Side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No Change	ISO-10545-16
Glossiness (ONLY FOR PGVT)	As Per Mfg.	Min 90%	GLOSSMETER
STRUCTURAL PROPERTIES			
Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of Rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface Abrasion Resistance	As Per Mfg.	Min. Class-3	ISO-10545-7
MOH's Hardness	As Per Mfg.	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-09
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing Resistance	As Per Mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistance	Resistance	ISO-10545-14
SAFETY PROPERTIES			
Slip Resistance	As Per Mfg.	> 0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium Given Off By Glazed Tiles	As Per Mfg.	Does Not Yield Pb & Cd	ISO-10545-15

PACKING DETAILS

DIMENSION	THICKNESS	PCS/BOX	COVERAGE AREA	BOX WEIGHT
600 X 1200 MM	9 MM (APPROX)	2	1.44 SQM.	29 KG (APPROX)

DISCLAIMER : We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.



PASSION VITRIFIED PVT. LTD.

Survey No. 223/P1,
Sartanpar Road, Near Matel,
Ta. Wankaner - 363621, Dist: Morbi, Gujarat, India.

T. - +91 99250 34828
E. - marketing@passiontiles.com
w. - www.passiontiles.com