



**600x  
1200mm**

®






GVT / PGVT



42070



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance



GVT / PGVT



42071



600x  
1200mm

GLOSSY FINISH









GVT / PGVT




42072



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42073



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design





Low  
Maintenance



GVT / PGVT



42074



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42075



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42076



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42077



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42078



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42079



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42080



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42081



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42082



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42083



600x  
1200mm

GLOSSY FINISH



High Strength Eco Friendly Random Design Low Maintenance



GVT / PGVT



42084



600x  
1200mm

GLOSSY FINISH








GVT / PGVT



42085



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance



GVT / PGVT



42086



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42087



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42088



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42089



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42090



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42091



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42092



600x  
1200mm

GLOSSY FINISH










GVT / PGVT



42093



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42094



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42095



600x  
1200mm

GLOSSY FINISH



High Strength Eco Friendly Random Design Low Maintenance



GVT / PGVT



42096



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42097



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42098



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42099



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42100



600x  
1200mm

GLOSSY FINISH










GVT / PGVT



42101



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42102



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42103



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42104



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42105



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design





Low  
Maintenance



GVT / PGVT



42106



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42107



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design




Low  
Maintenance



GVT / PGVT



42108



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance





GVT / PGVT



42109



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42110



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42111



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42112



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42113



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42114



600x  
1200mm

GLOSSY FINISH








GVT / PGVT



42115



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42116



600x  
1200mm

GLOSSY FINISH








GVT / PGVT



42117



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42118



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance



GVT / PGVT



42119



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design





Low  
Maintenance



GVT / PGVT



42120



600x  
1200mm

GLOSSY FINISH



High Strength Eco Friendly Random Design Low Maintenance



GVT / PGVT



42121



600x  
1200mm

GLOSSY FINISH







High Strength Eco Friendly Random Design Low Maintenance



GVT / PGVT



42122



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42123



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42124



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42125



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance



GVT / PGVT



42126



600x  
1200mm

GLOSSY FINISH




High Strength Eco Friendly Random Design Low Maintenance



GVT / PGVT



42127



600x  
1200mm

GLOSSY FINISH



High Strength   Eco Friendly   Random Design   Low Maintenance



GVT / PGVT



42128



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42129



600x  
1200mm

GLOSSY FINISH





GVT / PGVT



42130



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance



GVT / PGVT



42131



600x  
1200mm

GLOSSY FINISH






GVT / PGVT



42132



600x  
1200mm

GLOSSY FINISH








GVT / PGVT



42133



600x  
1200mm

GLOSSY FINISH







GVT / PGVT



42134



600x  
1200mm

GLOSSY FINISH








GVT / PGVT



42135



600x  
1200mm

GLOSSY FINISH



High  
Strength



Eco  
Friendly



Random  
Design



Low  
Maintenance

# TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BLA	MEAN VALUE OF PASSION	TEST METHOD
----------------	---	-----------------------	-------------

## REGULATORY PROPERTIES

Deviation in Length & Width	±0.5%	±0.1%	ISO-10545-2
Deviation in Thickness	±5.0%	±4.0%	ISO-10545-2
Straightness in Side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No Change	ISO-10545-16
Glossiness (ONLY FOR PGVT)	As Per Mfg.	Min 90%	GLOSSMETER

## STRUCTURAL PROPERTIES

Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082

## MASSIVE MECHANICAL PROPERTIES

Modulus of Rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mfg.	Min. 0.55	ISO-10545-5

## SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As Per Mfg.	Min. Class-3	ISO-10545-7
MOH's Hardness	As Per Mfg.	Min. 4	EN 101

## THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-09
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing Resistance	As Per Mfg.	Min. 10 Cycle	ISO-10545-11

## CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistance	Resistance	ISO-10545-14

## SAFETY PROPERTIES

Slip Resistance	As Per Mfg.	> 0.40	ISO-10545-17
Fire Resistance	As Per Mfg.	Fireproof	N. A.
Lead & Cadmium Given Off By Glazed Tiles	As Per Mfg.	Does Not Yield Pb & Cd	ISO-10545-15

# PACKING DETAILS

DIMENSION	THICKNESS	PCS/BOX	COVERAGE AREA	BOX WEIGHT
600 X 1200 MM	9 MM (APPROX)	2	1.44 SQM.	29 KG ( APPROX)

**DISCLAIMER:** We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.



**PASSION VITRIFIED PVT. LTD.**

Survey No. 223/P1,  
Sartanpar Road, Near Matel,  
Ta. Wankaner - 363621, Dist: Morbi, Gujarat, India.

T. - +91 99250 34828  
E. - [marketing@passiontiles.com](mailto:marketing@passiontiles.com)  
w. - [www.passiontiles.com](http://www.passiontiles.com)